## Grandma's House 0.43 Walkthrough rev 1.13

Written by: MrBubu https://www.patreon.com/mrbubu

Grandma's House

By Moonbox

https://www.patreon.com/moonboxgames

This walkthrough intends to show all the paths through the game in an objective way. Colors and styles are only meant to highlights elements, not influence your decision. There isn't a right or wrong way through the game, only <u>you</u> should decide.

Only decisions that have an impact on the story or your character are shown. There are obviously many scenes that can play differently based on your choices, but "cosmetic" differences or small alterations in the dialogues are not part of this walkthrough.

The PDF is best viewed on a touch screen where it is easy to drag, zoom in and out with the fingers.

On a PC with Acrobat Reader, make sure to use the "hand" icon to easily drag with the mouse. Use *Control* + Mouse wheel to zoom in or out.

#### Legend

Character and game related attributes that can be increased/decreased (i.e.: a number value) will be represented with an icon followed by the character/description name: Bubu or Bubu

More complex values will be written as text instead:

girls kissed +20

Reference to these values will reuse the same icon or text:

Bubu is at least 5 girls kissed is at least 25

While the game is being developed, decisions that do not impact the story (yet) will be displayed like this:

igrandmas kissed +20;

**Icons** 

: +1 Relationship point :-1 Relationship point

## Flow Symbols



Skip until the next section

## Decision labels

When something you do can have an impact later on in the game, a label will be visible where it happens like this  $\frac{decide something}{decide something}$ 

In some rare cases decisions can be reversed, to distinguish it more easily the label will look like this did not decide something #123

References to this label will also include the same number so it is easy to track it down to where it happened (could be multiple places). decided something  $^{\#123}$ 

Some decision labels can denote a progression and sometimes we must check if the current value is above or below a certain threshold. To keep it succinct, all accepted values will be listed in brackets.

For example let's define some karate belts and assign each one to a numerical value:

O ⇒ white belt \*\*78, 1 ⇒ yellow belt \*\*78, 2 ⇒ orange belt \*\*78

If in the code the condition checks that the value must be at least 1 (karate\_belt >= 1)

It will be listed like this: karate belt: [yellow, orange] \*\*78

While the game is being developed, decisions that do not impact the story (yet) will be displayed like this:


Reversed decisions that do not impact the story (yet) will be displayed like this: ¿did not agree; #55

Check the last page of the walkthrough to learn how you can use the developer console to cheat alter their value for your benefit: (link).

Enjoy the game!


# **Table of Contents**


Introduction
Table of Contents
V0.38
V0.39
V0.405
V0.41
V0.42
V0.438
Cheat without a MOD9





### Grandma's House VO.38


Only if not ok with drinking Jamila's breast milk mot breastfeeding from Jamila #109















## Grandma's House VO.43





## Grandma's House 0.43 Walkthrough rev 1.13

Cheat without a MOD



So you want to try out a new branch but do not feel like completely starting over a new game?

Don't worry, with the developer console you can easily modify in-game variables. You only need some basic understanding of scripting.

The easiest way to enable it is to use the Universal Ren'Py Mod from 0x52. Download it from the webpage: <a href="https://0x52.dev/mods/Universal-Ren-Py-Mod-1000">https://0x52.dev/mods/Universal-Ren-Py-Mod-1000</a>, then unzip it and drop the rpa file in the game folder.

(Re)Start the game and load a savegame, type ALT+O (Hold the ALT key and type the letter O) to open the console and use the ESC key to exit

# **Character variables**

variable: The variable definition: what it represents

set variable / new value: what to type in the developer console to turn the variable on or set a new value **unset variable**: what to type in the developer console to turn the variable off **check current value**: what to type in the developer console to check the current value

variable	definition	set variable / new value	unset variable	check current value
aalPoints	Aaliyah relationship points	aalPoints = value		aalPoints
anaPoints	Anabelle relationship points	anaPoints = value		anaPoints
btyPoints	Betty relationship points	btyPoints = value		btyPoints
cPoints	Catherine relationship points	cPoints = value		cPoints
copPoints	Sandra relationship points	copPoints = value		copPoints
docPoints	Priya relationship points	docPoints = value		docPoints
elaPoints	Elaine relationship points	elaPoints = value		elaPoints
fiPoints	Fiona relationship points	fiPoints = value		fiPoints
isaPoints	Isabella relationship points	isaPoints = value		isaPoints
jadaPoints	Jada relationship points	jadaPoints = value		jadaPoints
jamPoints	Jamila relationship points	jamPoints = value		jamPoints
jasPoints	Jasmine relationship points	jasPoints = value		jasPoints
josPoints	Josianne relationship points	josPoints = value		josPoints
krnPoints	Karen relationship points	krnPoints = value		krnPoints
lPoints	Elizabeth relationship points	lPoints = value		lPoints
lilPoints	Lily relationship points	lilPoints = value		lilPoints
linaOrgasms	Lina orgasms	linaOrgasms = value		linaOrgasms
linaPoints	Lina relationship points	linaPoints = value		linaPoints
maidPoints	Shizuka relationship points	maidPoints = value		maidPoints
massPoints	Aiko relationship points	massPoints = value		massPoints
mblPoints	Mabel relationship points	mblPoints = value		mblPoints
milaPoints	Mila relationship points	milaPoints = value		milaPoints
minPoints	Minnie relationship points	minPoints = value		minPoints
nbrPoints	Natalia relationship points	nbrPoints = value		nbrPoints
nnPoints	Allison relationship points	nnPoints = value		nnPoints
ophPoints	Ophelia relationship points	ophPoints = value		ophPoints
pavPoints	Paveena relationship points	pavPoints = value		pavPoints
plyPoints	Polly relationship points	plyPoints = value		plyPoints
riPoints	Riona relationship points	riPoints = value		riPoints
shwPoints	Shawna relationship points	shwPoints = value		shwPoints
smarPoints	Sister Maria relationship points	smarPoints = value		smarPoints
sophPoints	Sophia relationship points	sophPoints = value		sophPoints
svtPoints	Svetlana relationship points	svtPoints = value		svtPoints
tyaPoints	Tanya relationship points	tyaPoints = value		tyaPoints
twnPoints	Twins relationship points	twnPoints = value		twnPoints
yvPoints	Yvonne relationship points	yvPoints = value		yvPoints
	1	I .		

zelPoints = value

zelPoints

unset variable

day90catDrink = 0

check current value

day90catDrink

#### label: The label as found in the walkthrough set variable: what to type in the developer console to turn the variable on unset variable: what to type in the developer console to turn the variable off

**Game Decisions Variables** 

Zelda relationship points

zel Points

label set variable ¿give her a drink;#116 day90catDrink = 1

**check current value**: what to type in the developer console to check the current value

nto anal sex <sup>#117</sup>	analEnabled = 1	analEnabled = 0	analEnabled			
buy the strap-on;#118	straponEnabled = 1	straponEnabled = 0	straponEnabled			
into pet play ¡#119	petplayEnabled = 1	petplayEnabled = 0	petplayEnabled			
buy Catherine the cat costume;#120	catCat = 1	catCat = 0	catCat			
buy Catherine the cop costume;#121	catCop = 1	catCop = 0	catCop			
anal sex with Isabella;#122	day90isaAnal = 1	day90isaAnal = 0	day90isaAnal			
<u>let her</u> ; #123	day90isaFacesit = 1	day90isaFacesit = 0	day90isaFacesit			
tell Catherine to get her wet; #124	day90catClean = 1	day90catClean = 0	day90catClean			
use the butt plug; #125	day90isaButtplug = 1	day90isaButtplug = 0	day90isaButtplug			
accept;#126	day90catCockClean = 1	day90catCockClean = 0	day90catCockClean			
spank her;#127	day91mariaSpank = 1	day91mariaSpank = 0	day91mariaSpank			
<u>share</u> ; #128	day92asamiShare = 1	day92asamiShare = 0	day92asamiShare			
<u>creampie</u> ;#129	day93bettyCreampie = 1	day93bettyCreampie = 0	day93bettyCreampie			
cunnilingus į #130	day93josianneCunni = 1	day93josianneCunni = 0	day93josianneCunni			
cuck her; #131	day93catNTR = 1	day93catNTR = 0	day93catNTR			
<u>clean Fiona</u> ; #132	day93catCleanFiona = 1	day93catCleanFiona = 0	day93catCleanFiona			
<u>clean Riona</u> į <sup>#133</sup>	day93fionaClean = 1	day93fionaClean = 0	day93fionaClean			
fun with Sandra; #134	day94copSex = 1	day94copSex = 0	day94copSex			
fuck her feet;#135	day94copFootjob = 1	day94copFootjob = 0	day94copFootjob			
get cleaned up;#136	day94meganClean = 1	day94meganClean = 0	day94meganClean			
Megan to clean Sandra; #137	day94meganCleanSandra = 1	day94meganCleanSandra = 0	day94meganCleanSandı			
fuck Megan; #138	day94meganSex = 1	day94meganSex = 0	day94meganSex			
<u>creampie</u> ; #139	day94meganPreg = 1	day94meganPreg = 0	day94meganPreg			
<u>titfuck</u> į #140	day96asamiTJ = 1	day96asamiTJ = 0	day96asamiTJ			
<u>call her over</u> ;#141	day96shizukaWatched = 1	day96shizukaWatched = 0	day96shizukaWatched			
embarass her į #142	day96asamiShow = 1	day96asamiShow = 0	day96asamiShow			
<u>clean you</u> ; #143	day96asamiClean = 1	day96asamiClean = 0	day96asamiClean			
<u>Asami can deepthroat</u> ; #144	asamiDeepthroat = 1	asamiDeepthroat = 0	asamiDeepthroat			
deepthroat Asami;#145	day96asamiDeepthroat = 1	day96asamiDeepthroat = 0	day96asamiDeepthroa			
<u>eat her ass</u> į <sup>#146</sup>	day96asamiRimjob = 1	day96asamiRimjob = 0	day96asamiRimjob			
Unlock scenes						

#### check current value: what to type in the developer console to check the current value number unlock

**lock**: what to type in the developer console to lock

1	persistent.day88sophiaSex = 1	persistent.day88sophiaSex = 0	persistent.day88sophiaSex
2	persistent.day88asamiThighjob = 1	persistent.day88asamiThighjob = 0	persistent.day88asamiThighjob
3	persistent.day88asamiBanana = 1	persistent.day88asamiBanana = 0	persistent.day88asamiBanana
4	persistent.day90jamilaHJ = 1	persistent.day90jamilaHJ = 0	persistent.day90jamilaHJ
5	persistent.day90catDrink = 1	persistent.day90catDrink = 0	persistent.day90catDrink
6	persistent.day90isabellaAnal = 1	persistent.day90isabellaAnal = 0	persistent.day90isabellaAnal
7	persistent.day91catTanyaHJ = 1	persistent.day91catTanyaHJ = 0	persistent.day91catTanyaHJ
8	persistent.day91asamiFinger = 1	persistent.day91asamiFinger = 0	persistent.day91asamiFinger
9	persistent.day91mariaSpank = 1	persistent.day91mariaSpank = 0	persistent.day91mariaSpank
10	persistent.day92asamiShizukaHJ = 1	persistent.day92asamiShizukaHJ = 0	persistent.day92asamiShizukaHJ
11	persistent.day92lizSex = 1	persistent.day92lizSex = 0	persistent.day92lizSex
12	persistent.day93bettySex = 1	persistent.day93bettySex = 0	persistent.day93bettySex
13	persistent.day93josianneCunni = 1	persistent.day93josianneCunni = 0	persistent.day93josianneCunni
14	persistent.day93jadaSex = 1	persistent.day93jadaSex = 0	persistent.day93jadaSex
15	persistent.day93catCuck = 1	persistent.day93catCuck = 0	persistent.day93catCuck
16	persistent.day93rionaSex = 1	persistent.day93rionaSex = 0	persistent.day93rionaSex
17	persistent.day94twinLove = 1	persistent.day94twinLove = 0	persistent.day94twinLove
18	persistent.day94sandraHJ = 1	persistent.day94sandraHJ = 0	persistent.day94sandraHJ
19	persistent.day95aikoSex = 1	persistent.day95aikoSex = 0	persistent.day95aikoSex
20	persistent.day96doubleTJ = 1	persistent.day96doubleTJ = 0	persistent.day96doubleTJ
21	persistent.day96doubleTrouble = 1	persistent.day96doubleTrouble = 0	persistent.day96doubleTrouble

check current value

lock